

# IATI: Configure your site for IATI exports

Last Modified on 07/08/2025 1:38 pm EDT

All of the world's major donors have agreed to publish their data using the **International Aid Transparency Initiative** (IATI) standard. Many now require that grantees and recipients report back to them in IATI format. DevResults supports one-click IATI exports. The XML file that's generated can be published to the IATI repository, provided to funders, or shared with other organizations.

To generate IATI XML files from DevResults, a few configuration steps are required, a few are required if applicable, and a few are optional depending on whether or not you want to include certain elements in your export. **These steps only need to be completed once for your DevResults site to enable all future IATI exports.** Skip to each section with the following links.


- **Program Settings:** Define your IATI organization information **[Required]**
- **Status Options:** Link your status options to a relevant IATI status **[Required]**
- **Partner Roles:** Link your partner roles to relevant IATI organization roles **[Required]**
- **Geographies:** Provide location codes and/or administrative division codes **[Required if applicable]**

Once those steps are complete, you can **fill in activity elements** and **generate IATI exports**.

## Program Settings

A user with **View and Edit** permissions for **Program Settings** will need to make the initial configuration choices for your site's IATI exports. To do so, go to **Administration > Program Settings**.

In the **Features** section, enable IATI. If you want to include any financial information in your IATI exports, choose **Finance** from the financial features.



Next, open the **IATI Hub** by navigating to **Administration > IATI** and click on the **Settings** tab.

Example Organization  
DevResults

Data Program Info Tools **Administration** Bookmarks

Home > Administration > **IATI**

Activity File Organization File **Settings**

**Organization**

Identifier: US-EIN-123456789

Organization Type: International NGO

**IATI Code Lists**

Vocabulary Code Lists [What's this?](#)

Vocabulary	Code	Name
Aid Type Vocabulary	1	OECD DAC
Humanitarian Scope Vocabulary	1-2	Glide
Humanitarian Scope Vocabulary	2-1	Humanitarian Plan
Policy Marker Vocabulary	1	OECD DAC CRS
Region Vocabulary	1	OECD DAC
Sector Vocabulary	1	OECD DAC CRS Purpose Codes (5 digit)
Sector Vocabulary	2	OECD DAC CRS Purpose Codes (3 digit)

[Click to add...](#)

**Export Defaults**

Include Result Comments ☒ Include indicator result comments in activity file

- **Identifier:** Use the **organization identifier** provided to you by IATI. This is a combination of the namespace code and the base identifier issued by the registry. If you're unsure of your IATI organisation identifier, check the **IATI Registry** (if your organization has previously published) or look up your suggested identifier on **Org-ID.guide**. **[Required]**
- **Organization Type:** See IATI's description of **organization types** to determine the option that best characterizes your organization. **[Required]**
- **Vocabulary Code Lists:** Identify the set of options you want to make available within your DevResults site for each element. For example, each activity in DevResults can be assigned a default aid type for IATI reporting. When you select the "OECD DAC" option for your Aid type Vocabulary, the **OECD DAC aid types** will appear in the dropdown menu where you can assign the default aid type to the activity. Please see an additional article about **IATI Vocabulary Lists**. **[Required]**
- **Include Result Comments:** Click to enable the export of **indicator result comments** to provide additional context or qualitative data as part of your activity file. These comments come from the **Comments** field for each direct entry indicator (see below) and are stored per-geography. **[Optional]**

Recalculate logic checks

Region	Sex		Total	Comment
	Male	Female		
Boké	10	12	22	Trainings were delayed
Kankan	34	24	58	All trainings complete
	44	36	80	

## Status Options

Each activity status option in your DevResults site must be associated with an IATI status. To configure these definitions, go to **Administration > Status Options**.

The column on the left shows the status options for your DevResults site, defined by you. Use the dropdown in the IATI Status column on the right to designate the appropriate IATI Status for each of your status options. Review IATI's **status descriptions** for further guidance. **[Required]**

Example Organization  
DevResults

Data Program Info Tools **Administration** Bookmarks

Home Administration Status Options

Status	IATI Status
Proposal	Pipeline/identification
Not Started	Pipeline/identification
Active	Implementation
Suspended	Suspended
Terminated	Cancelled
Completed	Finalisation
Click to add...	<div>Finalisation</div> <div>Pipeline/identification</div> <div>Implementation</div> <div>Finalisation</div> <div>Closed</div> <div>Cancelled</div> <div>Suspended</div>

## Partner Roles

Each partner role in your DevResults site must be associated with an IATI organization role. To configure these definitions, go to **Administration > Partner Roles**

The column on the left shows the partner roles for your DevResults site, defined by you. Use the dropdown in the IATI Organization Role column on the right to designate the appropriate role for each of your self-defined partner roles (you may choose to just repeat the official IATI Organization Role if you prefer). Review IATI's [organization roles](#) descriptions for further guidance. **[Required]**

Example Organization  
DevResults

Data Program Info Tools **Administration** Bookmarks


Home Administration People **Partner Roles**

Title	IATI Organization Role
3rd party monitor	Extending
Accountable	Accountable
Funding	Funding
Primary	Implementing
Click to add...	<div>Select a role...</div> <div>Funding</div> <div>Accountable</div> <div>Extending</div> <div>Implementing</div>

## Geographies

The IATI standard requires that all geographies be identified with a code.

- Location Code:** A location must have a code (go to **Program Info > Geography > Locations** and pick a location from the index) if any indicator results for that location will be included in an IATI report. See IATI's description of [locations](#) for more information. **[Required if applicable]**



Example Organization

DevResults

Data

Program Info

Tools

Administration

Bookmarks

Home

Program Info

Geography

Locations

Ampank

# Ampank

Koundara, Boké


Location

Name


Ampank

Code

p3976-27



- Administrative Division Code:** An administrative division must have a code (go to **Program Info > Geography > Administrative Divisions**, highlight one of your admin divisions, and click on the **Edit** button) if any indicator results for that place will be included in an IATI report. For countries, use a the two-letter code from IATI's [country list](#). For subnational boundaries, reference IATI's [geographic list](#) that makes the most sense for your site. Note: If we created your shapes for you, we used GADM shapes for subnational boundaries.



Example Organization

DevResults

Data

Program Info

Tools

Administration

Bookmarks

Home

Program Info

Geography

Administrative Divisions

Guinea

# Administrative Division

Hierarchy

Name


Guinea

Code

GN

Level

Guinea



Next: Learn how to [fill in activity elements](#).

Didn't answer your question? Please email us at [athelp@devresults.com](mailto:athelp@devresults.com).

---

## Related Articles

---